

AMENDED
APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office DEC 21 1990
 Returned to applicant for correction FEB 5 1991
 Corrected application filed APR 5 1991
 Map filed APR 5 1991 under 55551

Eco-Vision, Inc.
 The applicant 3445 Skyline Blvd. Reno
 Street and No. or P.O. Box No. City or Town
Nevada 89509
 State and Zip Code No.
 hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)
Incorporated in Nevada in 1990

- underground
 Name of stream, lake, spring, underground or other source
1. The source of the proposed appropriation is underground
 Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 10.00 cfs, 7239.66 Acre-feet Annually second-feet
 One second-foot equals 448.83 gals. per min.
- (a) If stored in reservoir give number of acre-feet _____
3. The water to be used for Municipal Purposes
 Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
- (a) Irrigation, state number of acres to be irrigated _____
- (b) Stockwater, state number and kinds of animals to be watered _____
- (c) Other use (describe fully under "No. 12. Remarks") See Attachment "A"
- (d) Power:
- (1) Horsepower developed _____
- (2) Point of return of water to stream _____
5. The water is to be diverted from its source at the following point SE½ SE½ Section 20, T.40N., R.36E.,
 Describe as being within a 40-acre subdivision of public
MDM; at a point from which the NE Corner of Section 30, T.40N., R.36E., MDM bears
 survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
S 81°05'26" W, a distance of 4669.0 feet
6. Place of use T34N, R55E, MDM (Elko); T33N, R52E, MDM (Carlin); T32N, R45E, MDM (Battle
 Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Mountain); T36N, R38E, MDM (Winnemucca); T27N, R31E, MDM (Lovelock); T20N, R24E, MDM
(Fernley & Wadsworth); T15N, R20E, MDM (Carson City); T18N, R19E, MDM; T19N, R18E,
MDM; T19N, R19E, MDM; T19N, R20E, MDM; T20N R19E MDM, T20N, R20E, MDM (Reno &
Sparks) Use Place of Use Map filed under Application 55551
7. Use will begin about January 1 and end about December 31, of each year.
 Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) a drilled & cased well equipped with motor,
 State manner in which water is to be diverted, i.e. diversion structure, ditches and
pump & pipeline to the places of use
 flumes, drilled well with pump and motor, etc.
9. Estimated cost of works \$150,000.00

10. Estimated time required to construct works.....four years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....ten years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Total combined duty of Applications 55574, 55573 & 55551 will not exceed
20,000 acre-feet annually

By s/Milton Manoukian
Milton Manoukian
3445 Skyline Blvd.
Reno, Nevada 89509

Compared pm/se

Protested See File

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby deny the same, subject to the following limitations and conditions:

Applications 55551, 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55560, 55561, 55562, 55563, 55564, 55565, 55566, 55567, 55568, 55569, 55570, 55571, 55572, 55573, 55574, 55707, 55708, 55709, 55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55719, 55720, 55721, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56310, 56311, 56312, 56313, 56314, 56315, 56316, 56317, 56318, 56319 and 56320 are hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer and, therefore, the granting of said applications without the additional information would not be in the public interest. No ruling is made regarding the merits of the protests and the request for a 90 day extension of time to supply the additional information is hereby denied.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed on or before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed..... office, this 19th day of June

Certificate No..... Issued..... A.D. 19 95

State Engineer

ATTACHMENT "A"

Statistic figures taken from Nevada Department of Census.

<u>City</u>	<u>Current Population</u>	<u>Ten Year Future Population</u>
Elko	14,736.00	20,925.12
Carlin	2,220.00	3,152.40
Battle Mtn.	3,542.00	5,029.64
Winnemucca	6,134.00	8,710.28
Lovelock	2,069.00	2,937.98
Fernley	5,164.00	7,322.88
Wadsworth	640.00	908.80
Carson City	40,443.00	57,429.06
Reno	133,850.00	190,067.00
Sparks	53,367.00	75,781.14

1

2

3